

# CEREC References

The list refers to the Cerec chairside procedure as well as to related materials and methods.

## 1. Adhesive Technology

- 1982 MÖRMANN WH: Kompositinlay: Forschungsmodell mit Praxispotential? Quintessenz 1982;33:1891-1900.  
MÖRMANN WH, AMEYE C, LUTZ F: Komposit-Inlays: Marginale Adaptation, Randdichtigkeit, Porosität und okklusaler Verschleiss. Dtsch Zahnärztl Z 1982;37:438-441.
- 1985 MÖRMANN WH: Keramikinlay - Die Seitenzahnfüllung der Zukunft Vortrag am 30.3.1985, Karlsruhe, „25 Jahre Akademie für Zahnärztliche Fortbildung, Karlsruhe“. 4. Internationales Quintessenz-Symposium 1985.  
MÖRMANN WH, BRANDESTINI M, FERRU A, LUTZ F, KREJCI I: Marginale Adaptation von adhäsiven Porzellaninlays in vitro. Schweiz Mschr Zahnmed 1985;95:1118-1129.
- 1988 MÖRMANN WH: Innovationen bei ästhetischen Restaurationen im Seitenzahnggebiet (Keramik): Computergestützte Systeme. Dtsch Zahnärztl Z 1988;43:900-903.
- 1989 MÖRMANN WH, BRANDESTINI M, LUTZ F, BARBAKOW F: Chairside computer-aided direkt ceramic inlays. Quintessence Int 1989;20:329-339.  
MÖRMANN WH, BRANDESTINI M: Die CEREC Computer Reconstruction Inlays, Onlays und Veneers. Quintessenz Berlin 1989.
- 1991 BRONWASSER P J, MÖRMANN W H, KREJCI I, LUTZ F: Marginale Adaptation von CEREC-Dicor-MGC-Restaurationen mit Dentinadhäsiven. Schweiz Monatsschr Zahnmed 1991;101:162-169.  
FETT H, MÖRMANN W H, KREJCI I, LUTZ F: The effects of short bevels and silanization on marginal adaptation of computer machined mesio-occlusodistal inlays. Quintessence Int 1991;22:823-829.
- 1993 KÜMIN P, LÜTHY H, MÖRMANN W H. Festigkeit von Keramik und Polymer nach CAD/CIM-Bearbeitung und im Verbund mit Dentin. Schweiz Monatsschr Zahnmed 1993;103:1261-1268.  
NOACK MJ, LOCKE LS, ROULET JF: Das Randverhalten adhäsiv befestigter und mittels Ultraschall eingesetzter Porzellaninlays in vivo. Dtsch Zahnärztl Z 1993;48:720-723.
- 1994 PEUTZFELDT A: Effect of the ultrasonic insertion technique on the seating of composite inlays. Acta Odontol Scand 1994;52:51-54.  
SCHERRER S S, DE RIJK W G, BELSER U C, MEYER J-M: Effect of cement film thickness on the fracture resistance of a machinable glass-ceramic. Dent Mater 1994;10:172-177.
- 1995 BESEK M, MÖRMANN W H, PERSI C: Die Aushärtung von Komposit unter zahnfarbenen Inlays. Schweiz Monatsschr Zahnmed 1995;105:1123-1128.  
EL-BADRAWY W A, EL-MOWAFY O M: Chemical versus dual curing of resin inlay cements. J Prosthet Dent 1995;73:515-524.  
SORENSEN JA, MUNKSGAARD EC: Ceramic inlay movement during polymerisation of resin luting cements. Eur J Oral Sci 1995;103:186-189.
- 1996 LOPRESTI JT, DAVID S, CALAMIA JR: Microleakage of CAD-CAM porcelain restorations. Am J Dent 1996;9:37-39.  
LUTZ F: State of the art of tooth-colored restoratives. Oper Dent 1996;21:237-248.  
MCCOMB D: Adhesive luting cements - classes, criteria, and usage. Comp 1996;17:759-774.  
MEHL A, GODESCHA P, KUNZELMANN KH, HICKEL R: Randspaltverhalten von Komposit- und Keramikinlays bei ausgedehnten Kavitäten. Dtsch Zahnärztl Z 1996;51:701-704  
MOLIN M K, KARLSSON ST L, KRISTIANSEN M S: Influence of film thickness on joint bend strength of a ceramic/resin composite joint. Dent Mater 1996;12:245-249.
- 1996 MUNACK J, GEURTSSEN W: Marginal adaptation and fit of Cerec I/II and Empress overlays. In: Mörmann WH (ed) CAD/CIM in aesthetic dentistry: Cerec 10 Year Anniversary Symposium. Chicago: Quintessence 1996:571-579.  
PERDIGAO J, LAMBRECHTS P, VAN MEERBEEK B, BRAEM M, VANHERLE G: Ultramorphological

- interactions between tooth structure and modern dentin adhesive systems. *Academy of Dental Materials, Transactions*. 1996;9:130-150.
- 1997 GEMALMAZ D, ÖZCAN M, YORUC, ALKUMRU H N: Marginal adaptation of a sintered ceramic inlay system before and after cementation. *J Oral Rehabil* 1997;24:646-651.
- PASHLEY D H, CARVALHO R M: Dentine permeability and dentine adhesion. *J Dent* 1997;25:355-372.
- SCHÜPBACH P, KREJCI I, LUTZ F: Dentin bonding: effect of tubule orientation on hybrid-layer formation. *Eur J Oral Sci* 1997;105:1-9.
- ZELLWEGER U: Der Einfluss der Sauerstoff-Inhibitionsschicht von Dentinadhäsiven auf die Polymerisation verschiedener Abformmaterialien. *Zahnmed Diss, Zürich* 1997.
- 1998 COX CH F, HAFEZ A A, AKIMOTO N, OTSUKU M, SUZUKI S, TARIM B: Biocompatibility of primer, adhesive and resin composite systems on non-exposed and exposed pulps of non-human primate teeth. *Am J Dent* 1998;10:55-63.
- MEHL A, PFEIFFER A, KREMERS L, HICKEL R: Randständigkeit von Cerec-II-Inlay-Restaurationen bei ausgedehnten Kavitäten mit stark geschwächten Höckern. *Dtsch Zahnärztl Z* 1998;53:57-60.
- MÖRMANN W H, BINDL A, LÜTHY H, RATHKE A: Effects of preparation and luting system on all-ceramic computer-generated crowns. *Int J Prosthodont* 1998;11:333-339.
- PAMEIJER C H, STANLEY H R: The disastrous effects of the „total etch“ technique in vital pulp capping in primates. *Am J Dent* 1998;11:45-54.
- ROSENSTIEL ST F, LAND M F, CRISPIN B J: Dental luting agents: a review of the current literature. *J Prosthet Dent* 1998;80:280-301.
- SHORTALL A C, HARRINGTON E: Temperature rise during polymerization of light-activated resin composites. *J Oral Rehabil* 1998;25:908-913.
- 1999 FRANKENBERGER R, SINDEL J, KRÄMER N, PETSCHL A: Dentin bond strength and marginal adaptation: direct composite resin vs ceramic inlays. *Oper Dent* 1999;24:147-155.
- MITCHELL CA, DOUGLAS WH, CHENG Y-S. Fracture toughness of conventional, resin-modified glass-ionomer and composite luting cements. *Dent Mater* 1999a;15:7-13.
- MITCHELL CA, PINTADO MR, GEARY L, DOUGLAS WH. Retention of adhesive cement on the tooth surface after crown cementation. *J Prosthet Dent* 1999b; 81: 668-677.
- PLATT J A: Resin cements: into the 21st century. *Comp* 1999;20:1173-1182.
- 2000 KNOBLOCH LA, KERBY RE, SEGHI R, BERLIN JS, LEE JS. Fracture toughness of resin-based luting cements. *J Prosthet Dent* 2000; 83: 204-209.
- LANG H: Lichthärtung von Kompositen mit „Plasmalampen“. *Dtsch Zahnärztl Z* 2000; 55: 154-155
- 2001 SCHMID C, SCEP S, HEIDEMANN D: Shear strength of composite bonded to porcelain: the influence of a silicone disclosing medium. *Int J Comput Dent* 2001;4:107-116.
- 2002 MJÖR IA, FERRARI M. Pulp-dentin biology in restorative dentistry. Part 6: Reactions to restorative materials, tooth-restoration interfaces, and adhesive techniques. *Quintessence Int* 2002; 33: 35-63.
- 2003 FRANKENBERGER R, KERN M. Dentin Adhesives create a positive bond to dental hard tissue. *Int J Comput Dent* 2003;6:151-162.
- VAN MEERBEEK B, DE MUNCK J, YOSHIDA Y, INOUE S, VARGAS M, VIJAY P, VAN LANDUYT K, LAMBRECHTS P, VANHERLE G. Adhesion to Enamel and Dentin: Current Status and Future Challenges, *Oper Dent* 2003; 28: 215-235.
- 2005 KOSHIRO K, INOUE S, SANO H, DE MUNK J, VAN MEERBEEK B. In vivo degradation of resin-dentin bonds produced by a self-etch and an etch-and-rinse adhesive. *Eur J Oral Sci* 2005;113:341-348.

## 2. Feldspar- and Glass-Ceramics

- 1986 SCHWICKERATH H: Dauerfestigkeit von Keramik. *Dtsch Zahnärztl Z* 1986;41:241-266.
- 1990 SEHGI R R, SORENSEN J A, ENGLEMANN M J, ROUMANAS E, TORREES T J: Flexural strength of new ceramic materials. *J Dent Res* 1990;69:299, Abstr 1521.
- 1991 KELLY J R, LÜTHY H, GOUGOULAKIS A, POBER R L, MÖRMANN W H: Machining effects on feldspathic and glass ceramic: fractographic analysis. In: Mörmann W H (ed): state of the art of Cerec-method. Chicago: Quintessence 1991:253-273.
- LUDWIG K: Untersuchungen zur Bruchfestigkeit von Vollkeramikronen. *Dentallabor* 1991;5:647-651.

- 1992 ANUSAVICE KJ: Degradability of dental ceramics. *Adv Dent Res* 1992;6: 82-89.  
HÖLSCH W, KAPPERT H F: Festigkeitsprüfung von vollkeramischem Einzelzahnersatz für den Front- und Seitenzahnbereich. *Dtsch Zahnärztl Z* 1992;47:621-623.  
SCHMID M, FISCHER J, SALK M, STRUB J: Mikrogefüge leucit-verstärkter Glaskeramiken. *Schweiz Monatsschr Zahnmed* 1992;102:1046-1053.  
SCHWICKERATH H: Festigkeitsverhalten von Cerec. *Quintessenz* 1992;43:669-677.
- 1993 BERNAL G, JONES R M, BROWN D T, GOODACRE C J: The effect of finish line form and luting agent on the breaking strength of Dicor crowns. *Int J Prosthodont* 1993;6:286-290.  
KÜMIN P, LÜTHY H, MÖRMANN W H: Festigkeit von Keramik und Polymer nach CAD/CIM-Bearbeitung und im Verbund mit Dentin. *Schweiz Monatsschr Zahnmed* 1993;103:1261-1268.  
LÜTHY H, DONG J K, WOHLWEND A, SCHÄRER P: Effects of veneering and glazing on the strength of heat-pressed ceramics. *Schweiz Monatsschr Zahnmed* 1993;103:1257-1260.
- 1994 BIENIEK K W, MARX R: Die mechanische Belastbarkeit neuer vollkeramischer Kronen- und Brückenmaterialien. *Schweiz Monatsschr Zahnmed* 1994;104:284-289.  
KERN M, FECHTIG T, STRUB J R: Influence of water storage and thermal cycling on the fracture strength of all-porcelain, resin-bonded fixed partial dentures. *J Prosthet Dent* 1994;71:251-256.
- 1995 GIORDANO R A, PELLETIER L, CAMPELL S, POBER S: Flexural strength of an infused ceramic, glass ceramic and feldspathic porcelain. *J Prosthet Dent* 1995;73:411-418.  
KELLY J R: Perspectives of strength. *Dent Mater* 1995;11:103-110.  
MEIER M, FISCHER H, RICHTER E J, MAIER H R, SPIEKERMANN H: Untersuchungen über den Einfluss unterschiedlicher Präparationsgeometrien auf die Bruchfestigkeit vollkeramischer Einzelzahn-Restaurationen. *Dtsch Zahnärztl Z* 1995; 4:295-299.
- 1996 CHAN C, WEBER H: Plaque retention on teeth restored with full-ceramic crowns: a comparative study. *J Prosthet Dent* 1996;56:666-671.  
DATZMANN G: Cerec Vitablocs Mark II machinable ceramic. In: Mörmann W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996:205-216.  
DENRY I: Recent advances in ceramics for dentistry. *Crit Rev Oral Biol Med* 1996;7:134-143.  
HORNBERGER H, MARQUIS P M, CHRISTIANSEN S, STRUNK H P: Microstructure of a high strength alumina glass composite. *J Mater Res* 1996;11:855-858.  
KELLY J R, NISHIMURA J, CAMPBELL S D: Ceramics in dentistry: Historical roots and current perspectives. *J Prosthet Dent* 1996;75:18-32.  
LÜTHY H: Strength and Toughness of dental ceramics. In: Mörmann W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996:229-239.  
VAN GOGSWAARDT D C, KOPPITSCH V, MARX R, LAMPERT F: Belastbarkeit von keramischen Einlagefüllungen bei verschiedenen Adhäsivschichtbreiten. *Stomatologie* 1996;93:293-296.
- 1997 HICKEL R: Moderne Füllungswerkstoffe. *Dtsch Zahnärztl Z* 1997;52:572-585.  
KELLY JR. Ceramics in restorative and prosthetic dentistry. *Annu Rev Mater Sci* 1997; 27: 443-468.  
LAMPE K, LÜTHY H, MÖRMANN W H, LUTZ F: Bruchlast vollkeramischer Computerkronen. *Acta Med Dent Helv* 1997;2:28-35.  
ROSENBLUM M A: A review of all-ceramic restorations. *J Am Dent Assoc* 1997;128:297-307.
- 1998 CHEN J-H, MATSUMURA H, ATSUTA M. Effect of different etching periods on the bond strength of a composites-resin to a machinable porcelain. *J Dent* 1998;26:53-58.  
HÖLAND W, SCHWEIGER M, FRANK M, RHEINBERGER V. A comparison of the microstructure and properties of the IPS Empress 2 and the IPS Empress glass-ceramics. *J Biomed Mater Res* 2000; 53: 297-303.
- 1999 FISCHER H, MARX R: Mechanische Eigenschaften von Empress 2. *Schweiz Monatschr Zahnmed* 1999; 4:141-145.  
KELLY JR. Clinically relevant approach to failure testing of all-ceramic restorations. *J Prosth Dent* 1999; 81: 652-661.
- 2000 TINSCHERT J, ZWEZ D, MARX R, ANUSAVICE KJ. Structural reliability of alumina-, feldspar-, leucite-, mica- and zirconia based ceramics. *J Dent* 2000;28:529-535.
- 2002 REICH S, HORNBERGER H. The effect of multicoloured machinable ceramics on the esthetics of all-ceramic crowns. *J Prosthet Dent*. 2002; 88:44-49.
- 2004 GUAZZATO M, ALBAKRY M, SWAIN MV. Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part I. Pressable and alumina glass-infiltrated ceramics. *Dent Mater* 2004a; 20: 441-

GUZZATO M, ALBAKRY M, RINGER SP, SWAIN MV. Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics. *Dent Mater* 2004b; 20: 441-448.

### 3. Occlusion, Abrasion, Radio-Opacity

- 1991 KREJCI I, LUTZ F, SEBER B, JENSS J: Röntgenopazität von zahnfärbenden Inlaymaterialien und Kompositzementen. *Schweiz Monatsschr Zahnmed* 1991;101:299-304.
- 1995 PELKA M, REINELT C, KRÄMER N, FASSBENDER U, PETSCHERT A: In-vivo-Abrasion bei IPS Empress-Inlays. *Dtsch Zahnärztl Z* 1995;50:917-919.
- 1996 HAAK R, NOACK M J: Möglichkeiten der Röntgendiagnostik bei Amalgamersatzmaterialien. *Quintessenz* 1996;47:1551-1559.
- 1997 AL-HIYASAT A S, SAUNDERS W P, SHARKEY S W, SMITH G MCR, GILMOUR W H: The abrasive effect of glazed, un-glazed, and polished porcelain on the wear of human enamel, and the influence of carbonated soft drinks on the rate of wear. *Int J Prosthodont* 1997;10:269-282.
- INOKOSHI S: Posterior restorations: ceramics or composites? *Transactions: Third International Congress on Dental Materials* 1997:99-108.
- 1998 AL-HIYASAT A S, SAUNDERS W P, SHARKEY S W, SMITH G MCR, GILMOUR W H: Investigation of human enamel wear against four dental ceramics and gold. *J Dent* 1998;26:487-495.
- 1999 FROSCHE M: In-vitro-Verschleissuntersuchung moderner Fein-Hybrid-Komposits gegen Antagonisten aus Schmelz, Gold und Keramik. *Zahnmed Diss Zürich* 1999.
- KREJCI I, ALBERT P, LUTZ F: The influence of antagonist standardization on wear. *J Dent Res* 1999;78:713-719
- MURCHISON D F, CHARLTON D G, MOORE W S: Comparative radio opacity of flowable resin composites. *Quintessence Int* 1999;30:179-184.
- 2001 KUNZELMANN KH, JELEN B, MEHL A, HICKEL R: Wear evaluation of MZ 100 compared to ceramic CAD/CAM materials. *Int J Comput Dent* 2001;4:171-184.
- SCHULTZ CHB. Passgenauigkeit, marginale Adaptation und okklusale Abrasion von CEREC Inlays. *Med Diss Zürich* 2001.
- 2003 R. POLANSKI, M. LORENZONI, M. HAAS, G. WIMMER, G. ARNETZL. Functional quality of molar crown occlusal surfaces in the different design modes of Cerec 2. *Int J Comput Dent* 2003;6:95-101.
- 2004 REICH S. Generation of functional Cerec 3D occlusal surfaces: a comparison of two production methods relevant in practice. *Int J Comput Dent* 2004;7:229-238.
- 2005 MEHL A, BLANZ V. New procedure for fully automatic occlusal surface reconstruction by means of a biogeneric tooth model. *J Comput Dent* 2005;8:13-25.
- MEHL A, BLANZ V, HICKEL R. Biogeneric tooth: a new mathematical representation for tooth morphology in lower first molars. *Eur J Oral Sci* 2005;113:333-340.

### 4. Clinical and Experimental Experience

- 1991 ISENBERG B P, ESSIG M E, LEINFELDER K F, MÜNINGHOFF L A: Clinical evaluation of marginal integrity: two year results. In: Mörmann W H (ed): *International symposium on computer restorations*. Chicago: Quintessence 1991:163-172.
- 1992 HAAS M, ARNETZL G, WEGSCHEIDER W A, KÖNIG K, BRATSCHKO R: Klinische und werkstoffkundliche Erfahrungen mit Komposit-, Keramik- und Goldinlays. *Dtsch Zahnärztl Z* 1992;47:18-22.
- HÖGLUND C, VAN DIJKEN J, OLOFSSON A L: A clinical evaluation of adhesively luted ceramic inlays. *Swed Dent J* 1992;16:169-171.
- MÖRMANN W H, KREJCI I: Computer-designed inlays after 5 years in situ: clinical performance and scanning electron microscopic evaluation. *Quintessence Int* 1992;23:109-115.

- 1994 KREJCI I, FÜLLEMANN J, LUTZ F: Klinische und rasterelektronenmikroskopische Langzeituntersuchung von Kompositinlays. *Schweiz Monatsschr Zahnmed* 1994;104:1351-1356.
- 1995 BRODBECK U, STUDER S, LEHNER C: Sechs Jahre Erfahrung mit einem vollkeramischen Restaurationssystem. *Dentallabor* 1995 11:1793-1802.
- FLEMMING I, BRONDUM K: A clinical evaluation of porcelain inlays. *J Prosthet Dent* 1995;74:140-144.
- GLADYS S, VAN MEERBEEK B, INOKOSHI S, WILLEMS G, BRAEM M, LAMBRECHTS P: Clinical and semiquantitative marginal analysis of four tooth-coloured inlay systems at 3 years. *J Dent* 1995;23:329-338.
- ISIDOR F, BRONDUM K: A clinical evaluation of porcelain inlays. *J Prosthet Dent* 1995;74:140-144.
- SCHMALZ G, FEDERLIN M, REICH E. Effect of dimension of luting space and luting composite on marginal adaptation of a class II ceramic inlay. *J Prosthet Dent* 1995;73:392-399.
- 1996 BINDL A, MÖRMANN W: Klinische und technische Aspekte der Cerec-In-Ceram Krone. *Quintessenz* 1996;47:775-792.
- BRAUNER A W, BIENIEK K W: Seven years of clinical experience with the Cerec inlay system. In: Mörmann W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996:217-228 .
- HEYMANN HO, BAYNE SC, STURDEVANT JR, WILDER AD, ROBERSON TM: The clinical performance of CAD-CAM-generated ceramic inlays – a four year study. *J Am Dent Assoc* 1996;127:1171-1180.
- MÖRIG G: Aesthetic all ceramic restoration: a philosophic and clinical review. *Pract Periodontics Aesthet Dent* 1996;8:741-749.
- VAN DIJKEN J W V, HÖRSTEDT P: Marginal breakdown of 5-year-old direct composite inlays. *J Dent* 1996;24:389-394.
- 1997 BERG NG, DÉRAND T: A 5-year evaluation of ceramic inlays (Cerec). *Swed Dent J* 1997;21:121-127.
- BINDL A, MÖRMANN W H: Chairside-Computer-Kronen - Verfahrenszeit und klinische Qualität. *Acta Med Dent Helv* 1997;2:293-300.
- FRADEANI M, AQUILANO A, BASSEIN L: Longitudinal study of pressed glass-ceramic inlays for four and a half years. *J Prosthet Dent* 1997;78:346-353.
- FRIEDL K-H, HILLER K-A, SCHMALZ G, BEY B: Clinical and quantitative marginal analysis of feldspathic ceramic inlays at 4 years. *Clin Oral Invest* 1997;1: 63-168.
- HALLER B, POSORSKY A, KLAIBER B: Höckerstabilisierung mit zahnfarbenen Adhäsivinlays in vitro - Einfluß von Inlaymaterial und Total Bonding. *Dtsch Zahnärztl Z* 1997;52:515-519.
- ROULET J-F: Longevity of glass ceramic inlays and amalgam - results up to 6 years. *Clin Oral Invest* 1997;1:40-46.
- THONEMANN B, FEDERLIN M, SCHMALZ G, SCHAMS A: Clinical evaluation of heat-pressed glass-ceramic inlays in vivo: 2-year results. *Clin Oral Invest* 1997;1:27-34.
- 1998 FELDEN A, SCHMALZ G, FEDERLIN M, HILLER K-A: Retrospective clinical investigation and survival analysis on ceramic inlays and partial ceramic crowns: results up to 7 years. *Clin Oral Invest* 1998;2:161-167.
- HAYASHI M, TSUCHITANI Y, MIURA M, TAKESHIGE F, EBISU S: 6-year clinical evaluation of fired ceramic inlays. *Oper Dent* 1998;23:318-326.
- HOFER E: In-vivo-Langzeitverhalten von zahnfarbenen Restaurationen im Seitenzahnbereich. *Zahnmed Diss, Zürich* 1998.
- JACKSON R D: Ästhetische Inlays und Onlays: eine restaurative Alternative. *Phillip J* 1998;15:169-173.
- KERSCHBAUM T: Langzeit-Erfolgsaussichten von feststehendem Zahnersatz. *Zahnärztl Mitt* 1998;88:64-69.
- KREJCI I, LUTZ F, MÖRMANN WH: Zahnfarbene Adhäsive Restaurationen im Seitenzahnbereich Eigenverlag PPK, Zürich 1998.
- LEHNER CH, STUDER ST, BRODBECK U, SCHÄRER P: Six-year clinical results of leucite-reinforced glass ceramic inlays and onlays. *Acta Med Dent Helv* 1998;3:137-146.
- MÖRMANN WH, BINDL A: Die CEREC-Computerkrone - erste klinische und wissenschaftliche Erfahrungen. *Dental Magazin* 1998;16:82-91.
- SCHEIBENBOGEN A, MANHART J, KUNZELMANN K-H, HICKEL R: One-year clinical evaluation of composite and ceramic inlays in posterior teeth. *J Prosthet Dent* 1998;80:410-416.
- SJÖGREN G, MOLIN M, VAN DIJKEN JWV. A 5-year clinical evaluation of ceramic inlays (Cerec) cemented with a dual-cured or chemically cured resin composite luting agent. *Acta Odontol Scand* 1998;56:263-267.
- 1999 BINDL A, MÖRMANN W H: Clinical evaluation of adhesively placed Cerec Endo-Crowns after 2 years – Preliminary results. *J Adhesive Dent* 1999;1 255-265.
- DONLY K J, JENSEN M E, TRIOLO P, CHAN D: A clinical comparison of resin composite inlay and onlay posterior restorations and cast gold restorations at 7 years. *Quintessence Int* 1999;30:163-168.

- FEHER A, SCHÄRER P: Zahnmedizin 2000 – Ein klinisches Kompendium. Eigenverlag KBM, Zürich 1999.
- FUZZI M, RAPELLI G: Ceramic inlays: clinical assessment and survival rate. J Adhesive Dent 1999;1:71-79.
- KRÄMER N, FRANKENBERGER R, PELKA M, PETSCHT A: IPS Empress inlays and onlays after four years – a clinical study. J Dent 1999;27:325-331.
- MALAMENT K A, SOCRANSKY S S: Survival of Dicor glass-ceramic dental restorations over 14 years. Part I: survival of Dicor complete coverage restorations and effect of internal surface acid etching, tooth position, gender and age. J Prosthet Dent 1999;81:23-32.
- MALAMENT K A, SOCRANSKY S S: Survival of Dicor glass-ceramic dental restorations over 14 years. Part II: effect of thickness of Dicor material and design of tooth preparation. J Prosthet Dent 1999;81:662-667.
- MARTIN N, JEDYNAKIEWICZ NM: Clinical performance of CEREC ceramic inlays: a systematic review. Dent Mater 1999;15:54-61.
- 1999 SCHEIBENBOGEN-FUCHSBRUNNER A, MANHART J, KREMERS L, KUNZELMANN K-H, HICKEL R: two-year clinical evaluation of direct and indirect restorations inlays in posterior teeth. J Prosthet Dent 1999;82:391-397.
- 2000 REISS B, WALTHER W: Clinical long-term results and 10-year Kaplan-Meier Analysis of Cerec Restorations. Int J Comput Dent 2000;3:9-23.
- 2001 HICKEL R, MANHART J. Longevity of Restorations in Posterior Teeth and Reasons for Failure J Adhes Dent. 2001;3:45-64.
- VAN DIJKEN JWV, HASSELROT L, ÖRMIN A, OLOFSSON A-L. Restorations with extensive dentin/enamel-bonded ceramic coverage. A five year follow-up. Eur J Oral Sci 2001;109:222-229.
- 2002 MÖRMANN WH, BINDL A: All-ceramic, chair-side computer-aided design/computer-aided machined restorations. Dent Clin N Am 2002;46:405-426 .
- 2003 BINDL A, MÖRMANN WH: Clinical and SEM evaluation of all-ceramic chair-side CAD/CAM-generated partial crowns. Eur J Oral Sci 2003;111:163-169.
- POSSELT A, KERSCHBAUM T. Longevity of 2328 chairside Cerec inlays and onlays. Int J Comput Dent 2003;6:231-248.
- 2004 SJÖGREN G, MOLIN M, VAN DIJKEN JWV. A 10-year prospective evaluation of CAD/CAM-manufactured (Cerec) ceramic inlays cemented with a chemically cured or dual-cured resin composite. Int J Prosthodont, 2004;17:241–6.

## 5. Restorative Technology

- 1978 LUTZ F, LEUTHARD P: Verschleissfeste MOD-Kompositfüllungen durch Einpolymerisation von zentralen Stops aus Keramik – 4-Jahres-Resultate. Schweiz Monatsschr Zahnheilk 1978;88:739-752.
- 1982 MÖRMANN W H: Kompositinlay: Forschungsmodell mit Praxispotential? Quintessenz 1982;33:1891-1900.
- 1985 LUTZ F, MÖRMANN W, KREJCI I: Seitenzahnkomposite – Ja, Nein oder Jein? Dtsch Zahnärztl Z 1985;40:892-896.
- 1987 JENSEN ME, REDFORD DA, WILLIAMS BT, GARDNER F: Posterior Etched-Porcelain Restorations: An in Vitro Study. Compend Contin Educ Dent 1987;7:615-622.
- LUTZ F, KREJCI I, MÖRMANN W: Die zahnfarbene Seitenzahnrestauration. Phillip J 1987;3:127-137.
- MÖRMANN W H, BRANDESTITNI M, LUTZ F: Das Cerec-System: Computergestützte Herstellung direkter Keramikinlays in einer Sitzung. Quintessenz 1987;38:457-470.
- 1988 DURET F, BLOUIN JL, DURET M. CAD/CAM in dentistry. J Am Dent Assoc. 1988;117:715-720.
- MÖRMANN W H: Innovationen bei ästhetischen Restaurationen im Seitenzahngebiet (Keramik): Computer-unterstützte Systeme. Dtsch Zahnärztl Z 1988;43 900-903.
- 1989 MÖRMANN W H, BRANDESTINI M: Die CEREC Computer Rekonstruktion - Inlays, Onlays und Veneers. Quintessenz, Berlin 1989.
- 1990 HÜRZELER M, ZIMMERMANN E, MÖRMANN WH: Marginale Adaptation von maschinell hergestellten Onlays in vitro. Schweiz Monatsschr Zahnmed 1990;100:715-719.
- JÄGER K, HENZ B, WIRZ J, GRABER G: Marginale Passgenauigkeit befestigter adhäsiver Keramikinlays. Schweiz Monatsschr Zahnmed 1990;100:1304-1309.
- KAPPERT H F, KNODE H: In-Ceram auf dem Prüfstand. Quintessenz Zahntech 1990;8:980-1002.
- LEVY H, DANIEL X: Working with the In-Ceram porcelain system. Prothèse Dentaire 1990;44-45:1-11.
- WOHLWEND A, SCHÄRER P: Die Empress-Technik, ein neues Verfahren zur Herstellung von

- vollkeramischen Kronen, Inlays und Facetten. Quintessenz Zahntech 1990; 8: 966-978.
- 1991 MÖRMANN WH (ed): Proceedings of the international symposium on computer restorations. Chicago: Quintessence 1991:23-548.  
REKOW E D: Dental CAD-CAM systems: What is the state of the art? J Am Dent Assoc 1991;122:43-48.  
ROULET J F, NOACK M J: Tooth coloured conventional and Cerec restoration - claim and reality. In: Mörmann WH (ed): International symposium on computer restorations. Chicago: Quintessence 1991:233-243.
- 1992 DONG J K, LÜTHY H, WOHLWEND A, SCHÄRER P: Heat-pressed ceramics: Technology and strength. Int J Prosthodont 1992;5:9-16.  
FUTTERKNECHT N, JINOIAN V: A renaissance of ceramic prosthetics? Quintessence Dent Tech 1992;15:65-78.  
PRÖBSTER L, DIEHL J: Slip-casting alumina ceramics for crown and bridge restorations. Quintessence Int 1992; 23:25-31.
- 1992 SCHMID M, FISCHER J, SALK M, STRUB J: Mikrogefüge leucit-verstärkter Glaskeramiken. Schweiz Monatsschr Zahnmed 1992;102:1046-1053.
- 1992 SIEBER C: Variationen der Lichtleitfähigkeit und Leuchtkraft. Quintessenz Zahntech 1992;18:1123-1133.
- 1993 FURRER O, MÖRMANN W H: Effizienz und Kantenqualität beim computertechnischen Formschleifen von Keramikinlays. Schweiz Monatsschr Zahnmed 1993;103:851-859.  
GREY N F, PIDDOCK V, WILSON M A: In vitro comparison of conventional crowns and a new all ceramic system. J Dent 1993;21:47-51.
- 1994 EIDENBENZ S, LEHNER CH R, SCHÄRER P: Copy milling ceramic inlays from resin analogs: a practical approach with the Celay system. Int J Prosthodont 1994;7 134-142.  
NATHANSON D, RIIS D N, CATALDO G L, ASHAYERI N: CAD/CAM ceramic inlays and onlays: using an indirect technique. J Am Dent Assoc 1994;125:421-427.  
SIEBER C, THIEL N: Eine lichtoptische Möglichkeit - Spinell Luminaries. Quintessenz Zahntech 1994;20: 1041-1051.  
STRUPOWSKY M: Das Precident-DCS-System, numerisch gesteuerte Zahntechnik. Dental Labor 1994;42: 1809-1815.
- 1995 HEGENBARTH E A: Die Symbiose aus Computertechnologie und Kreativität. Dental Labor 1995;43:797-809.  
NASEDKIN J N: Ceramic inlays and onlays: update 1995. J Can Dent Assoc 1995;61:676-682.  
SEGHI R R, SORENSEN J A: Relative flexural strength of six new ceramic materials. Int J Prosthodont 1995;8:239-246.
- 1996 FUTTERKNECHT N: Renaissance in der Vollkeramik? (I). Quintessenz Zahntech 1996;16:1185-1197.  
LÜTHY H, PIETROBON N, SISERA M, WOHLWEND A, LOEFFEL O: White esthetics. Schweiz Monatsschr Zahnmed 1996;106:897-904.  
MÖRMANN W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996:21-663.  
MÖRMANN W H, BRANDESTITNI M: The fundamental inventive principles of Cerec CAD/CIM and other CAD/CAM methods. In: Mörmann W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996;81-110.  
PFEIFFER J: The Character of Cerec 2. In: Mörmann WH (Hrsg.) CAD/CIM in aesthetic dentistry: Cerec 10 Year Anniversary Symposium. Chicago: Quintessence 1996:255-265.  
SIEBERT G K, NEUKIRCHEN S: Full-ceramic restorations-A survey of different systems. In: Mörmann W H (ed): 10 Year Cerec Anniversary Symposium. Chicago: Quintessence 1996:73-80.  
TOUATI B: The evolution of aesthetic restorative materials for inlays and onlays: a review. Int Aesth Chron 1996; 8:657-666.  
VAN PELT A W J, DE KLOET H J, VAN DER KUY P: Keramische inlays en onlays. Ned Tijdschr Tandheelkd 1996;103:472-476.
- 1997 FELBER, L., LEEMANN, TH., MÖRMANN, W.H. Computergestützte vollautomatische Konstruktion von Inlays. Eine qualitative Analyse. Acta Med Dent Helv 1997;2:217-225.  
HICKEL R., DASCH W, MEHL A, KREMERS L: CAD/CAM – fillings of the future? Int Dent J 1997;47:247-258.  
MÖRMANN W H, BINDL A: The new creativity in ceramic restorations: Dental CAD/CIM. Quintessence Int 1997;27:821-828.  
PRÖBSTER L: Zum heutigen Stand vollkeramischer Restaurationen. Zahnärztl Mitt 1997;20:44-50.  
SCHLODERER M: Cerec im Praxislabor. Dental Magazin 1997;3:42-44.
- 1998 CHALIFOUX P R: Treatment considerations for posterior laboratory-fabricated composite resin restorations.

- Pract Periodont Aesthet Dent 1998;10:969-978.
- KREJCI I, DIETSCHI D, LUTZ F U: Principles of proximal cavity preparation and finishing with ultrasonic diamond tips. Pract Periodont Aesthet Dent 1998;10:295-298.
- 1998 KREJCI I, LUTZ F, MÖRMANN WH: Zahnfarbene adhäsive Restaurationen im Seitenzahnbereich. Eigenverlag PPK, Zürich 1998.
- LANG H, SCHÜLER N, NOLDEN R: Keramikinlay oder Teilkrone? Dtsch Zahnärztl Z 1998;53:53-56.
- MC KAREB E A: All-Ceramic alternatives to conventional metal-ceramic restorations. Comp 1998;19:307-325.
- SCHMIDT A, WALTER M, BÖNING K: CAD/CAM/CIM-Systeme in der restaurativen Zahnmedizin. Quintessenz 1998;49:1111-1122.
- 1999 BINDL A, WINDISCH S, MÖRMANN W H: Full-Ceramic CAD/CIM Anterior Crowns and Copings. Int J Comp Dent 1999;2:97-111.
- ESTEFAN D, DAVID A, DAVID S, CALAMIA J. A new approach to restorative dentistry: fabricating ceramic restorations using Cerec CAD/CAM. Compend Contin Educ Dent 1999;20:555-560.
- 1999 HUGO B: Oszillierende Verfahren in der Präparationstechnik (Teil I). Schweiz Monatsschr Zahnmed 1999;109: 140-153.
- MAGNE P, DOUGLAS W H: Additive contour of porcelain veneers: a key element in enamel preservation, adhesion, and esthetics for aging dentition. J Adhesive Dent 1999;1:81-92.
- MAGNE P, DOUGLAS W H: Rationalization of esthetic restorative dentistry based on biomimetics. J Esthet Dent 1999;11:5-15.
- MAGNE P, DOUGLAS W H: Porcelain veneers: dentin bonding optimization and biometric recovery of the crown. Int J Prosthodont 1999;12:111-121.
- MEHL A, HICKEL R: Current state of development and perspectives of machine-based production methods for dental restorations. Int J Comput Dent 1999;2:9-35.
- MÖRMANN W H, BINDL A, RICHTER B, APHOLT W, TOTH RT: Cerec computer aided design, computer integrated manufacturing: full ceramic crowns. In: Mörmann W H (ed): CAD-CIM Library, SFCZ Publishing, Zurich 1999.
- PFEIFFER J: Dental CAD/CAM Technologies: The optical impression (II). Int J Comput Dent 1999;2:65-72.
- POLANSKY R, ARNETZL G, SMETAN M, HAAS M, LORENZONI M: The Production of Cerec restorations from a plaster cast. Int J Comput Dent 1999;2:37-44.
- VAN DER ZEL J M: Heutige CAD/CAM-Systeme im Vergleich. Quintessenz Zahntech 1999;2:193-204.
- ZITZMANN NU, MARINELLO CP, LÜTHY H: The Procera Allceram all-ceramic system. The clinical and technical laboratory aspects in the use of a new all-ceramic system. Schweiz Monatsschr Zahnmed 1999;109:820-834.
- 2000 MAGNE P, DOUGLAS W H: Cumulative effects of successive restorative procedures on anterior crown flexure: intact versus veneered incisors. Quintessence Int 2000;31:5-18.
- MÖRMANN W H, BINDL A: Cerec 3 – ein Quantensprung bei Computer- Restaurationen. Erste klinische Erfahrungen. Quintessenz 2000;51:157-171.
- 2001 APHOLT W, BINDL A, LÜTHY H, MÖRMANN W: Flexural strength of Cerec 2 machined and joined together InCeram-Alumina and InCeram-Zirconia bars. Dent Mater 2001;17:260-267.
- CHRISTENSEN GJ. Computerized restorative dentistry. State of the art. J Am Dent Assoc 2001;132:1301-1303.
- FILSER F, KOCHER P, WEIBEL F, LÜTHY H, SCHÄRER P, GAUCKLER LJ: Reliability and strength of all-ceramic dental restorations fabricated by direct ceramic machining (DCM). Int J Comput Dent 2001;4:89-106.
- HEHN S. The evolution of a chairside CAD/CAM system for dental restorations. Compend Contin Educ Dent. 2001;22 (6 Suppl):4-6.
- JEDYNAKIEWICZ NM, MARTIN N. Functionally generated pathway theory, application and development in Cerec restorations. Int J Comput Dent 2001;4: 5-36.
- KURBAD A: Cerec goes inLab - the metamorphosis of the system. Int J Comput Dent 2001;4:125-143.
- PREVOST AP, BOUCHARD Y: Cerec: correlation, an accurate and practical method for occlusal reconstruction. Jnt J Comp Dent 2001;4:185-193.
- SUTTOR D, BUNKE K, HOESCHELER S, HAUPTMANN H, HERTLEIN G: LAVA - the system for all-ceramic ZrO<sub>2</sub> crown and bridge frameworks. Int J Comput Dent 2001;4:195-206.
- WIEDHAHN K: Function with registration: Simple, fast, and safe using a new registration material. Int J Comp Dent 2001;4:207-216.
- 2002 BISLER A, BOCKHOLT U, KORDASS B, SUCHAN M, VOSS G. Der virtuelle Artikulator. Int J Comput Dent



- 2002;5:101-106.
- CASTANO MC, ZAPATA U, PEDROZA A, JARAMILLO JD, ROLDAN S. Creation of a three-dimensional model of the mandible and the TMJ in vivo by means of the finite element method. *Int J Comput Dent* 2002;5:87-99.
- EDELHOFF D, SORENSEN JA. Tooth structure removal associated with various preparation designs for posterior teeth. *Int J Periodont Rest* 2002; 22: 241-249.
- HIKITA K, UCHIYAMA Y, OTSUKI M, IYAMA K, DURET F. Function and clinical application of dental CAD/CAM "GN-1". *Int J Comput Dent* 2002;5:11-23.
- 2003 GÄRTNER C, KORDASS B. The virtual articulator: development and evaluation. *Int J Comput Dent* 2003;6:11-23.
- 2004 GLAUSER R, SAILER I, WOHLWEND A, STUDER S, SCHIBLI M, SCHÄRER P. Experimental zirconia abutments for implant-supported single-tooth restorations in esthetically demanding regions: 4-year results of a prospective clinical study. *Int J Prosthodont* 2004; 17: 285-290.
- MÖRMANN WH. The origin of the Cerec method: a personal review of the first 5 years. *Int J Comput Dent* 2004;7:11-24.
- TINSCHERT J, NATT G, HASSENPFUG S, SPIEKERMANN H. Status of current CAD/CAM technology in dental medicine. *Int J Comput Dent* 2004;7:25-45.

## 6. Accuracy of Fit of Restorations

- 1985 DEDMON HW: Ability to evaluate nonvisible margin with an explorer. *Oper Dent* 1985;10:6-11.
- 1990 JÄGER K, HENZ B, WIRZ J, GRABER G: Marginale Passgenauigkeit befestigter adhäsiver Keramikinlays. *Schweiz Monatsschr Zahnmed* 1990;100:1304-1309.
- 1992 INOKOSHI S, VAN MEERBEK B, WILLEMS G, LAMBRECHTS P, BREAM M, VANHERLE: Marginal accuracy of CAD/ CAM inlays made with the original and the updated software. *J Dent* 1992;20:171-177.
- STEUBER-SANDERA I: Fügeverhältnisse bei computergestützter Herstellung von Keramikinlays unter Anwendung von drei Gerätegenerationen. *Med Diss, Zürich* 1992.
- 1993 KREJCI I, LUTZ F, REIMER M: Marginal adaptation and fit of adhesive ceramic inlays. *J Dent* 1993;21:39-46.
- MOLIN M, KARLSSON S: The fit of gold inlays and three ceramic inlay systems – A clinical and in vitro study. *Acta Odontol Scand* 1993;51:201-206.
- 1994 KAWAI K, ISENBERG B P, LEINFELDER K F: Effect of gap dimension on composite resin cement wear *J Dent Res* 1994;25:53 - 58.
- SIERVO S, PAMPALONE A, SIERVO P, SIERVO R: Where is the gap? Machinable ceramic systems and conventional laboratory restorations at a glance. *Quintessence Int* 1994;25:773-779.
- 1995 RINKE S, HÜLS A, JAHN L. Marginal accuracy and fracture strength of conventional and copy-milled all-ceramic crowns. *Int J Prosthodont* 1995;8:303-310.
- SCHMALZ G, FEDERLIN M, REICH E: Effect of dimension of luting space and luting composite on marginal adaptation of a class II ceramic inlay. *J Prosthet Dent* 1995;73:392-399.
- SHINKAI K, SUZUKI S, LEINFELDER K F, KATOH Y: Effect of gap dimension on wear resistance of luting agents. *Am J Dent* 1995;8:149-151.
- SJÖGREN G: Marginal and internal fit of four different types of ceramic inlays after luting. An in vitro study. *Acta Odontol Scand* 1995;53:24-28.
- SOERENSEN J A, MUNKSGAARD E CH: Interfacial gaps of resin cemented ceramic inlays. *Eur J Oral Sci* 1995; 103: 116-120.
- 1996 MUNACK J, GEURTSSEN W: Marginal adaptation and fit of Cerec I/II and Empress overlays. In: Mörmann WH (ed) *CAD/CIM in aesthetic dentistry: Cerec 10 Year Anniversary Symposium*. Chicago: Quintessence 1996:571-579.
- VAN GOGSWAARDT D C, KOPPITSCH V, MARX R, LAMPERT F: Belastbarkeit von keramischen Einlagefüllungen bei verschiedenen Adhäsivschichtbreiten. *Stomatologie* 1996;93:293-296.
- 1997 GUZMAN A F, MOORE B K, ANDRES C J: Wear resistance of four luting agents as a function of marginal

- gap distance, cement type, and restorative material. *Int J Prosthodont* 1997;10:415-425.
- MÖRMANN W H, SCHUG J: Grinding precision and accuracy of fit of Cerec 2 CAD-CIM inlays. *J Amer Dent Assoc* 1997;128:47-53.
- SJÖGREN G, HEDLUND S-O: Filler content and gap width after luting of ceramic inlays, using the ultrasonic insertion technique and composite resin cements. *Acta Odontol Scand* 1997;55:403-407.
- SULAIMAN F, CHAI J, JAMESON L M, WOZNIAC W T. A comparison of the marginal fit of In-Ceram, IPS Empress and Procera crowns. *Int J Prosthodont* 1997;10:478-484.
- UNTERBRINK G L: Differenzierende Analyse der erforderlichen Genauigkeit bei laborgefertigten Restaurationen. *Phillip J* 1997;11-12:386-388.
- 1998 FISCHER J, GRÄBER H-G, LAMPERT F: Die Randschlussqualität von zahnfarbenen Klasse-II-Versorgungen. *ZWR* 1998;107:192-195.
- MAY KB, RUSSEL MM, RAZZOOG ME, LANG BR. Precision of fit: the Procera AllCeram crown. *J Prosthet Dent* 1998;80: 394-404.
- 2001 SCHULTZ CH. Passgenauigkeit, marginale Adaptation und okklusale Abrasion von Cerec Inlays. *Med Diss, Zürich*: 2001.
- 2004 LUTHARDT RG, BORNEMANN G, LEMELSON S, WALTER MH, HULS A. An innovative method for evaluation of the 3-D internal fit of CAD/CAM crowns fabricated after direct optical versus indirect laser scan digitizing. *Int J Prosthodont* 2004;17:680-685.

## 7. Finishing, Polishing, Repair

- 1991 SCHMID O, KREJCI I, LUTZ F: Ausarbeitung von adhäsiven zahnfarbenen Inlays aus Komposit und Keramik. *Schweiz Monatsschr Zahnmed* 1991;101:177-184.
- 1995 FEHER A, MÖRMANN W: Die Ausarbeitung von Keramik-Restaurationen mit superfeinen Diamantinstrumenten. *Schweiz Monatsschr Zahnmed* 1995;105:474-479.
- KREJCI I, LUTZ F, KREJCI D: Schall- / ultraschallbetriebene diamantierte Instrumente zur Kavitätenpräparation zum Konturieren und zum Finieren. *ZWR* 1995;104:781-786.
- MALONE W F P, TAYLOR TH D: Effects of ultrasonic scaling and periodontal curettage on surface roughness of porcelain. *J Prosthet Dent* 1995;73:227-232.
- 1996 KREJCI, I, LUTZ F, BAFELLI G, KILCHER B: Nondestruktive Politur mit einem neuentwickelten rotierenden Bürstchen. *ZWR* 1996;105:304-308.
- 1997 BOLLEN CM, LAMBRECHTS P, QUIRYNEN M. Comparison of surface roughness of oral hard materials to the threshold surface roughness for bacterial plaque retention: a review of the literature. *Dent Mater* 1997;13:258-69.
- 1998 DENEHY G, BOUSCHLICHER M, VARGAS M: Intraoral repair of cosmetic restorations. *Dent Clin North Am* 1998;42:719-737.
- 2001 TSOTSOS S: An indirect/direct method for contouring and finishing Cerec restorations. *Int J Comput Dent* 2001; 4:37-45.

## 8. Cerec Crown Technology

- 1996 BINDL A, MÖRMANN WH. Clinical and technical aspects of the Cerec In-Ceram crown. In: Mörmann, W.H. (ed): *CAD/CIM in Aesthetic Dentistry. Cerec 10 Year Anniversary Symposium*. Chicago: Quintessence 1996:441-462.
- BINDL A, MÖRMANN WH. Klinische und technische Aspekte der CEREC In-Ceram Krone. *Quintessenz* 1996;47, 775-792.
- BITZ M, MÖRMANNWH. Documentation of CEREC crowns via electronic communication. In: Mörmann, W.H. (ed): *CAD/CIM in Aesthetic Dentistry. Cerec 10 Year Anniversary Symposium*. Chicago: Quintessence

- 1996:495-516.
- LAMPE K, LÜTHY H, MÖRMANN WH. Fracture load of all-ceramic computer crowns. In: Mörmann, W.H. (ed): CAD/CIM in Aesthetic Dentistry. Cerec 10 Year Anniversary Symposium. Chicago: Quintessence 1996:463-482.
- 1997 BINDL A, MÖRMANN WH. Chairside Computer-Krone - Verfahrenszeit und klinische Qualität. *Acta Med Dent Helv* 2: 1997;2:293-300.
- DEVIGUS A. Die Cerec-2-Frontzahnkrone. *Dental Magazin* 1997;3:38-41.
- LAMPE K, LÜTHY H, MÖRMANN WH, LUTZ F. Bruchlast vollkeramischer Computerkronen. *Acta Med Dent Helv* 1997;2:76-83.
- 1998 MÖRMANN WH, RATHKE A., LÜTHY H. Der Einfluss von Präparation und Befestigungsmethode auf die Bruchlast vollkeramischer Computerkronen. *Acta Med Dent Helv* 1998;3:29-35.
- MÖRMANN WH, BINDL A. Die Cerec-Computerkrone - erste klinische und wissenschaftliche Erfahrungen. *Dental Magazin* 1998;16:82-91.
- MÖRMANN WH, BINDL A., LÜTHY H, RATHKE A. Effects of preparation and luting system on all-ceramic computer-generated crowns. *Int J. Prosthodont* 1998;11:333-339.
- 1999 BINDL A, WINDISCH S, MÖRMANN WH. Full-Ceramic CAD/CIM Anterior Crowns and Copings. *Int J Comput Dent* 1999;2:97-111.
- BINDL A, MÖRMANN WH. Clinical evaluation of adhesively placed Cerec Endo-Crowns after 2 years — Preliminary results. *J Adhesive Dent* 1999;1:255-265.
- CHEN HY, HICKEL R, SETCOS JC, KUNZLEMANN KH. Effects of surface finish and fatigue testing on the fracture strength of CAD/CAM and pressed ceramic crowns. *J Prostet Dent* 1999;82:468-475.
- MALAMENT KA, SOCRANSKY SS. Survival of Dicor glass-ceramic dental restorations over 14 years: Part I. Survival of Dicor complete coverage restorations and effect of internal surface acid etching, tooth position, gender and age. *J Prosthet Dent* 1999; 81:23-32.
- MÖRMANN WH, BINDL A, RICHTER B, APHOLT W, TOTH RT. Cerec Computer Aided Design, Computer Integrated Manufacturing: full-ceramic crowns. *CAD/CIM Library, Vol 2*, Zurich: SFCZ Publishing 1999.
- TOTH RT, MÖRMANN W. Cerec 2 vollkeramische CAD/CIM Computerkronen — Konstruktion im Front- und Seitenzahnbereich. *CAD/CIM Bibliothek Band 1*, SFCZ-Verlag Zürich 1999.
- WINDISCH S, BINDL A, MÖRMANN WH. Passgenauigkeit von vollkeramischen Cerec CAD/CIM Frontzahnkronen und Frontzahnkronenkappen. *Acta Med Dent Helv* 1999;3:29-37.
- 2000 CHAI J, TAKAHASHI Y, SULAIMAN F, CHONG K, LAUTENSCHLAGER EP. Probability of fracture of all-ceramic crowns. *Int J Prosthodont* 2000;13:420-424.
- 2000 MÖRMANN WH, BINDL A. The Cerec 3 – A quantum leap for computer-aided restorations: Initial clinical results. *Quintessence Int* 2000;31:699-712.
- MÖRMANN WH, BINDL A, APHOLT W. Cerec 3 Computer-Restaurationen – erste klinische Erfahrungen. *Zahnärztliche Mitteilungen* 2000;90:2860-2869.
- POLANSKY R, ARNETZL G, HAAS M, KEIL C, WIMMER G, LORENZONI M. Restdentinstärke nach 1,2 mm-Stufenpräparation für Cerec-Kronen. *Int J Comput Dent* 2000;3:243-258.
- 2001 BESIMO CE, SPIELMANN H-P, ROHNER H-P. Computer-assisted generation of all-ceramic crowns and fixed partial dentures. *Int J Comput Dent* 2001;4:243-262.
- TSOTSOS S. Single-appointment, all-ceramic anterior restorations. *Int J Comput Dent*. 2001;4:263-72.
- 2002 BINDL A, MÖRMANN WH. An up to 5-Year Clinical Evaluation of Posterior In-Ceram CAD/CAM Core Crowns. *Int J Prosthodont* 2002;15:451-456.
- MCLAREN EA, TERRY DA. CAD/CAM systems, materials, and clinical guidelines for all-ceramic crowns and fixed partial dentures. *Compend Contin Educ Dent* 2002;23:637-641.
- LAWN BR, DENG Y, LLOYD IK, JANAL MN, REKOW D, THOMPSON VP. Materials design of ceramic-based layer structures for crowns. *J Dent Res* 2002; 81: 433-438.
- REICH S, HORNBERGER H. The effect of multicolored machinable ceramics on the esthetics of all-ceramic crowns. *J Prosthet Dent* 2002; 88: 44-49.
- 2003 NAKAMURA T, DEI N, KOJIMA T, WAKABAYASHI K. Marginal and internal fit of Cerec 3 CAD/CAM all-ceramic crowns. *Int J Prosthodont* 2003;16:244-248.
- ZHAO YF, WANG HR, LI Y. The effect of tooth preparation design on the CAD/CAM all-ceramic coping crown's fitness. *Zhonghua Kou Qiang Yi Xue Za Zhi*. 2003;38:330-332. Chinese

- 2004 ATTIA A, KERN M. Influence of cyclic loading and luting agents on the fracture load of two all-ceramic crown systems. *J Prosthet Dent* 2004;92:551-556.
- BINDL A, MÖRMANN WH. Survival rate of mono-ceramic and ceramic-core CAD/CAM-generated anterior crowns over 2-5 years. *Eur J Oral Sci* 2004;112:197-204.
- MÖRMANN WH, BINDL A. 3D-CAD/CAM für jedermann in Praxis und Labor *Zahnärztliche Mitteilungen* 2004; 94:228-232.
- OTTO T. Computer-aided direct all-ceramic crowns: preliminary 1-year results of a prospective clinical study. *Int J Perio Rest Dent* 2004; 24: 447-455.
- REICH SM, WICHMANN M, RINNE H, SHORTALL A. Clinical performance of large, all-ceramic CAD/CAM-generated restorations after three years: a pilot study. *J Am Dent Assoc* 2004;135:605-612.
- WANG HR, ZHAO YF, ZHANG FM. Study on the occlusal surface design methods of CAD/CAM all-ceramic coping crown. *Sichuan Da Xue Xue Bao Yi Xue Ban.* 2004;35:280-282. Chinese
- 2005 BINDL A, MÖRMANN WH. Marginal and internal fit of all-ceramic CAD/CAM crown-copings und chamfer preparations. *J Oral Rehabil* 2005;32:441-447.
- BINDL A, RICHTER B, MÖRMANN WH. Survival of ceramic CAD/CAM crowns bonded to preparations with reduced macroretention geometry. *Int J Prosthodont* 2005;18:219-224.

## 9. Cerec 3D Application und Clinic

- 2000 HANSEN, S. Präparationen für CEREC 3: Gibt es noch Einschränkungen? *Int J Comput Dent* 2000;3:197-205.
- 2001 TSOTSOS S. Single-appointment, all-ceramic anterior restorations. *Int J Comput Dent* 2001;4:263-272.
- 2003 ENDER A., WIEDHAHN K, MÖRMANN WH: Chairside multi-unit restoration of a quadrant using the new Cerec 3D-Software. *Int J Comput Dent* 2003;6:89-94.
- FRITSCH G. Correlation and Function in Cerec 3D - what is new? *Int J Comput Dent* 2003;6:83-88.
- KURBAD A, REICHEL K. All-ceramic primary telescopic crowns with Cerec inLab. *Int J Comput Dent* 2003;6:103-11.
- MASEK R. Designing in 3D-a more visual approach to Cerec correlation. *Int J Comput Dent* 2003;6:75-82.
- REISS B. Occlusal surface design with CEREC 3D. *Int J Comput Dent* 2003; 6:333-342.
- SCHENK O. Cerec Classic: The inlay with Cerec 3D step-by-step. *Int J Comput Dent* 2003;6:67-73.
- SCHNEIDER O. Cerec veneers - Practical procedure and case presentation. *Int J Comput Dent* 2003;6:283-292.
- SCHNEIDER W. Cerec 3D - a new dimension in treatment. *Int J Comput Dent* 2003;6:57-66.
- WIEDHAHN K. The Cerec 3D veneer program - is bad news good news? *Int J Comput Dent* 2003;6:95-101.
- 2004 FRITZSCHE G. Treatment of a single-tooth gap with CEREC 3D crown on an implant: A case report; *Int J Comput Dent* 2004;7:199-206.
- 2004 MACLEOD R. Chairside correlation in Cerec 3D software. *Int J Comput Dent* 2004;7:269-278.
- MASEK R. Margin isolation for optical impressions and adhesion. *Int J Comput Dent* 2005;8:69-76.
- MÖRMANN WH, BINDL A. 3D-CAD/CAM für jedermann in Praxis und Labor. *Zahnärztliche Mitteilungen* 2004;94:228-232.
- SCHNEIDER W. In the name of the crown: the Cerec 3D crown upgrade. *Int J Comput Dent* 2005;8:41-45.
- REICH S, WICHMANN M, BÜRCEL P. The self-adjusting crown (SAC). *Int J Comput Dent* 2005;8: 47-58.
- WIEDHAHN K. Cerec 3D veneers with R2005 - veneers à la carte. *Int J Comput Dent* 2005;8:59-68.

## 10. Cerec Quality Assurance

- 2001 PRÖBSTER L. Sind vollkeramische Kronen und Brücken wissenschaftlich anerkannt? Gemeinsame Stellungnahme von DGZMK und DGZPW. *Dtsch Zahnärztl Z* 2001;56:575-576.
- 2005 SCHWEIZERISCHE ZAHNÄRZTE GESELLSCHAFT SSO. Qualitätsleitlinien in der Zahnmedizin, Restaurative Zahnmedizin. *Schweiz Monatsschr Zahnmed* 2005;115:71-91.

